


DODEKAPO >8<	
TECHNICAL SPECIFICATIONS	
Dimensions on masonry ^a in mm	80x190x120
Dimensions' tolerance	± 2,2 %
Rectangularity	90°± 1°
Compressive strength	3,5 N/mm ²
Items per pallet	450 items
Item weight	1,750 kgr
Weight tolerance	± 6 %
Pallet weight	788 kgr
Masonry surface per pallet	11,7 m ²
<small>^a Wall thickness x Horizontal Brick Dimension x Vertical Brick Dimension</small>	
DETAILS OF IMPLEMENTATION	
Wall thickness without plaster	80 mm
Thickness of mortar between bricks	Hor. = 10 mm Ver. = 10 mm
For a surface of one square meter of masonry:	
Bricks' quantity	38 items/m ²
Bricks' weight	67 kgr/m ²
Cement consumption **	9,8 Lt/m ²
<small>** For wall thickness more than 13cm the mortar consists of parallel cement strips</small>	



DODEKAPO >12<	
TECHNICAL SPECIFICATIONS	
Dimensions on masonry ^a in mm	120x190x80
Dimensions' tolerance	± 2,2 %
Rectangularity	90°± 1°
Compressive strength	3,5 N/mm ²
Items per pallet	450 items
Item weight	1,750 kgr
Weight tolerance	± 6 %
Pallet weight	788 kgr
Masonry surface per pallet	8,1 m ²
<small>^a Wall thickness x Horizontal Brick Dimension x Vertical Brick Dimension</small>	
DETAILS OF IMPLEMENTATION	
Wall thickness without plaster	120 mm
Thickness of mortar between bricks	Hor. = 10 mm Ver. = 10 mm
For a surface of one square meter of masonry:	
Bricks' quantity	56 items/m ²
Bricks' weight	97 kgr/m ²
Cement consumption **	18,7 Lt/m ²
<small>** For wall thickness more than 13cm the mortar consists of parallel cement strips</small>	